

# DECLARATION OF PERFORMANCE

in accordance with EU Construction Products Regulation (CPR) no 305/2011

No. DoP-SE-0015 [SE]

1. *Unique identification code of the product-type:*  
weberfloor 319 snabbslipsats fin
2. *Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):*  
Batch/production date/production site/serial No. is printed on packaging or accompanying documents
3. *Inteded use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacture:*  
Screed material for use in floor construction internally
4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):*  
Saint-Gobain Sweden AB  
Box 415  
191 24 SOLLENTUNA  
Sweden  
<https://www.weber.se>
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):*  
Not applicable
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*  
AVCP system 3
7. *In case of the declaration of performance concerning a construction product covered by a harmonized standard:*  
EN 13813:2002  
SP Technical Research Institute of Sweden , *notified testing laboratory No. 0402 , performed determination of the product-type on the basis of type SS-EN 13813 under system 3 and issued type testing report: PX26920 report(s): EN13501-1:2007+ A1:2009 (Brandreaktivitet / Reaction to fire)*
8. *In the case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:*  
Not applicable
9. *Declared performance:*

Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	Euroclass A2fl-s1	EN 13813:2002
Release of corrosive substances	CT	EN 13813:2002
Water permeability	NPD	EN 13813:2002
Water vapour permeability ( $\mu$ )	NPD	EN 13813:2002
Compressive strength	C16	EN 13813:2002
Flexural strength	F3	EN 13813:2002
Wear resistance	NPD	EN 13813:2002
Sound insulation	NPD	EN 13813:2002
Sound absorption	NPD	EN 13813:2002
Thermal resistance	NPD	EN 13813:2002
Chemical resistance	NPD	EN 13813:2002

NPD = No Performance Determined

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies

Not applicable

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by:

Marko Komulainen -

.....  
( Name and function)

Saint-Gobain Sweden AB  
15-06-2022 - 11:53

.....  
(date and place)



.....  
(signature)

---

Attachments to DoP according to CPR Article 6(5) and the REACH regulation (EC) No 1907/2006, Article 31 or Article 33

1. (31) Safety data sheet:

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name **weberfloor 319 snabbslipsats fin**

Safety data sheet no.: XXP000363

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Floor screed - fast cement

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Company: Saint-Gobain Sweden AB

Adress: Box 415

Postnr: 191 24 Sollentuna

country: Sweden

Telefon: +46-(0)8-625 61 00

Fax: +46-(0)8-625 61 80

email: [msds@weber.se](mailto:msds@weber.se)

**1.4 Emergency telephone number:** Dial +46 112, and ask for Poison Information

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05

**Signal word** Danger

#### Hazard-determining components of labelling:

cement portland, grey

#### Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 1)

H318 Causes serious eye damage.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P362 Take off contaminated clothing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Contains cement portland, grey. May produce an allergic reaction.

**2.3 Other hazards**

Product mixed with water gives a pH between 10.5 and 11.5.

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.



**vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description:** Ready-mixed mortar with high alumina cement.

**Dangerous components:**

CAS: 65997-15-1	cement portland, grey	2-5%
EINECS: 266-043-4	 Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	

**SVHC** Void

**Additional information**

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information**

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Immediately rinse with water.

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 2)

**After eye contact**

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

Seek immediate medical advice.

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents** The product is not combustible.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** Use methods suitable to surrounding conditions.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

**6.3 Methods and material for containment and cleaning up:**

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities****Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

EUG

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

Trade name weberfloor 319 snabbslipsats fin

(Contd. of page 3)

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

DNELs		
CAS: 7778-18-9 calcium sulphate, manufactured		
Oral	Derived No Effect Level	1.52 mg/kgxday (consumer systemic long term value) 11.4 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	5.29 mg/m <sup>3</sup> (consumer long term value) 21.17 mg/m <sup>3</sup> (worker systemic long term value) 5,082 mg/m <sup>3</sup> (worker systemic short term value) 3,811 mg/m <sup>3</sup> (consumer systemic short term value)

CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 65997-15-1 cement portland, grey</b>					
AGW (Germany)	Long-term value:	5 E		mg/m <sup>3</sup>	DFG
LEP (Spain)	Long-term value:	4		mg/m <sup>3</sup>	fracción respirable: e, d
TWA (Italy)	Long-term value:	1		mg/m <sup>3</sup>	(e, j), A4
VLE (Portugal)	Long-term value:	1		mg/m <sup>3</sup>	Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value:	5* 1**		mg/m <sup>3</sup>	*hengittyvä/inhalerbart, **alveolijae/respirabel

**Additional Occupational Exposure Limit Values for possible hazards during processing:**Total inhalable dust: 10 mg/m<sup>3</sup>Respirable dust (< 5 µm): 4 mg/m<sup>3</sup>Quartz respirable dust (< 5 µm) : 0,15 mg/m<sup>3</sup>**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Not necessary if room is well-ventilated.

Short term filter device:

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 4)

Filter P3.

**Protection of hands:**

Protective gloves.

The hands must be cleaned from the powder before putting on the gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Powder
<b>Colour:</b>	Grey
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

**pH-value:** Alkaline

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Undetermined.

**Flash point:** Not applicable

**Ignition temperature:** Not determined.

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Oxidising properties</b>	Not determined.

**Vapour pressure:** Not determined.

**Density:** Not determined

<b>Bulk density at 20 °C:</b>	1700 kg/m <sup>3</sup>
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 5)

<b>Solubility in / Miscibility with Water:</b>	Hardens when in contact with water.
<b>Segregation coefficient (n-octanol/water) log Pow:</b>	Not determined.
<b>Viscosity:</b> dynamic:	Not determined.
kinematic:	Not determined.
<b>Solvent separation test:</b>	Not determined
<b>Solvent content:</b>	
Organic solvents:	0.0 %
EU-VOC (%)	0.00 %
EU-VOC (g/L)	0.0 g/l
<b>9.2 Other information</b>	None.

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 65997-16-2 Cement, alumina, chemicals</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 7778-18-9 calcium sulphate, manufactured</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 65997-15-1 cement portland, grey</b>			
Dermal	LD50	>2,000 mg/kg	(Rabbit)

**Primary irritant effect:**

**Skin corrosion/irritation**

Skin irritation possible due to drying effect.

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 6)

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

Type of test	Effective concentration	Method	Assessment
<b>CAS: 7778-18-9 calcium sulphate, manufactured</b>			
LC50/48h	>79 mg/l	(Daphnia magna)	
LC50/96h	>79 mg/l	(Oryzias latipes (Japanese medaka))	
EC50/24h	>790 mg/l	(Activated sludge)	
EC50/72h	>79 mg/l	(Selenastrum capricornutum (Green algae))	

**CAS: 7778-18-9 calcium sulphate, manufactured**

LC50/48h >79 mg/l (Daphnia magna)

LC50/96h >79 mg/l (Oryzias latipes (Japanese medaka))

EC50/24h >790 mg/l (Activated sludge)

EC50/72h >79 mg/l (Selenastrum capricornutum (Green algae))

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:**

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

10 13 14	waste concrete and concrete sludge
----------	------------------------------------

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 7)

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Thoroughly shake out sacks.

**SECTION 14: Transport information**

<b>14.1 UN-Number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Under the conditions of conservation, the reducing agent used keeps the content of soluble chromium (VI) below 2 ppm until the expiration date indicated.

Shelf-life of the product: see details on the packaging.

For bulk product: shelf life 3 months starting from date on the Delivery note.

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 3

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

EUG

(Contd. on page 9)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.05.2019

Version number 5

Revision: 23.05.2019

**Trade name weberfloor 319 snabbslipsats fin**

(Contd. of page 8)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

**Department issuing SDS:** Market development**Contact:**

Product safety Coordinator Phone +46 141 49228

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.