

DECLARATION OF PERFORMANCE

according Annex III of the Regulation (EU) No 305/2011
(Construction Products Regulation)

Nr. DoP-DE-tec Superflex 10

1. *Unique identification code of the product-type:*
weber.tec Superflex 10
PMB – CB2 – W2A – C2A according to DIN EN 15814
2. *Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
Batch/production date/production site/serial No. is printed on packaging or accompanying documents
3. *Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:*
Polymer modified bituminous thick coatings (PMB) for waterproofing in below ground structures
4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):*
Saint-Gobain Weber GmbH
Schanzenstr. 84
D-40549 Düsseldorf
www.sg-weber.de
5. *Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):*
not applicable
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
AVCP System 3
7. *In case of the declaration of performance concerning a construction product covered by a harmonised standard:*
The notified testing laboratory Materialprüfanstalt Nordrhein-Westfalen, identification number No. 0432, performed the determination of the product-type on the basis of type testing under system 3 and issued: test report No. 220001960-1

The notified body Materialprüfanstalt Nordrhein-Westfalen, identification number No. 0432, performed the determination of the class regarding reaction to fire on the basis of product testing under system 3 and issued: test report No 220006291-1.2
8. *In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:*
not applicable

9. Declared performance

Essential characteristic	Performance	Harmonised technical specification
Watertightness	Class W2A	DIN EN 15814:2013-01
Crack-bridging ability	Class CB2	
Water resistance	Pass	
Flexibility at low temperature	Pass	
Dimensional stability at high temperatures	Pass	
Reaction to fire	Class E	
Resistance to compression	Class C2A	
Dangerous substances	NPD	
Durability of watertightness and reaction to fire	pass	

NPD (No Performance Determined)

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Bruno Reisch, Direktor Technik

Düsseldorf,
(Place and date of issue)

October 16, 2013

.....
(Signature)

Bra Reisch

Annex

Material safety data sheet weber.tec Superflex 10 Comp.A

Material safety data sheet weber.tec Superflex 10 Comp.B